

Table 1
Buncombe County Resident Births for 2000
By Age of Mother and Birth Order
For Married White Women

| Age of Mother | Birth Order | | | | | | | | | Total |
|--------------------|-------------|-----|-----|-----|-----|-----|-----|-------------|------------|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 9th or More | Not Stated | |
| 15 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 16 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 |
| 17 | 6 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 8 |
| 18 | 15 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 19 |
| 19 | 24 | 9 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 37 |
| 20 | 35 | 19 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 56 |
| 21 | 34 | 23 | 8 | 3 | 0 | 1 | 1 | 0 | 0 | 70 |
| 22 | 31 | 29 | 12 | 10 | 2 | 1 | 0 | 0 | 0 | 85 |
| 23 | 38 | 21 | 8 | 4 | 2 | 2 | 0 | 0 | 0 | 75 |
| 24 | 32 | 19 | 17 | 3 | 2 | 0 | 0 | 0 | 1 | 74 |
| 25 thru 29 | 208 | 188 | 78 | 28 | 11 | 4 | 4 | 0 | 0 | 521 |
| 30 thru 34 | 124 | 180 | 97 | 45 | 9 | 4 | 0 | 0 | 1 | 460 |
| 35 thru 39 | 42 | 62 | 37 | 30 | 16 | 5 | 3 | 0 | 0 | 195 |
| 40 thru 44 | 5 | 9 | 11 | 3 | 2 | 3 | 0 | 3 | 0 | 36 |
| 45 or Older | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Total | 602 | 564 | 274 | 127 | 44 | 20 | 8 | 3 | 2 | 1644 |

Table 1
Buncombe County Resident Births for 2000
By Age of Mother and Birth Order
For Married Minority Women

| Age of Mother | Birth Order | | | | | | | | | Total |
|-------------------|-------------|-----|-----|-----|-----|-----|-----|-----|-------------|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 8th | 9th or More | |
| 16 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 18 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 19 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 20 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 21 | 3 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 6 |
| 22 | 2 | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 6 |
| 23 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 4 |
| 24 | 0 | 4 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| 25 thru 29 | 8 | 9 | 5 | 3 | 1 | 1 | 0 | 0 | 0 | 27 |
| 30 thru 34 | 6 | 12 | 2 | 4 | 0 | 0 | 0 | 0 | 1 | 25 |
| 35 thru 39 | 3 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 5 |
| 40 thru 44 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Total | 30 | 30 | 11 | 8 | 2 | 2 | 1 | 1 | 1 | 86 |

Table 1
Buncombe County Resident Births for 2000
By Age of Mother and Birth Order
For Unmarried White Women

| Age of Mother | Birth Order | | | | | | | | Total |
|-------------------|-------------|-----|-----|-----|-----|-----|-----|-------------|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 9th or More | |
| 14 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 15 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 |
| 16 | 26 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 28 |
| 17 | 36 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 43 |
| 18 | 49 | 10 | 2 | 1 | 0 | 0 | 0 | 0 | 62 |
| 19 | 43 | 16 | 0 | 0 | 0 | 0 | 0 | 0 | 59 |
| 20 | 32 | 18 | 7 | 1 | 0 | 0 | 0 | 1 | 59 |
| 21 | 26 | 18 | 8 | 3 | 1 | 0 | 0 | 0 | 56 |
| 22 | 15 | 17 | 11 | 1 | 0 | 0 | 0 | 0 | 44 |
| 23 | 19 | 23 | 8 | 2 | 1 | 1 | 0 | 0 | 54 |
| 24 | 8 | 15 | 7 | 0 | 3 | 0 | 0 | 0 | 33 |
| 25 thru 29 | 45 | 42 | 19 | 11 | 1 | 1 | 0 | 0 | 119 |
| 30 thru 34 | 15 | 16 | 12 | 10 | 6 | 2 | 2 | 1 | 64 |
| 35 thru 39 | 5 | 9 | 6 | 4 | 3 | 4 | 0 | 0 | 31 |
| 40 thru 44 | 2 | 3 | 5 | 1 | 1 | 0 | 0 | 0 | 12 |
| Total | 331 | 196 | 85 | 34 | 16 | 8 | 2 | 2 | 674 |

Table 1
Buncombe County Resident Births for 2000
By Age of Mother and Birth Order
For Unmarried Minority Women

| Age of Mother | Birth Order | | | | | | | Total |
|-------------------|-------------|-----|-----|-----|-----|-----|-------------|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 9th or More | |
| 14 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 15 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 16 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 6 |
| 17 | 5 | 1 | 1 | 0 | 0 | 0 | 0 | 7 |
| 18 | 6 | 4 | 0 | 0 | 0 | 0 | 0 | 10 |
| 19 | 8 | 7 | 2 | 1 | 1 | 0 | 0 | 19 |
| 20 | 12 | 6 | 5 | 0 | 0 | 0 | 0 | 23 |
| 21 | 6 | 13 | 4 | 1 | 0 | 0 | 0 | 24 |
| 22 | 7 | 3 | 5 | 4 | 0 | 0 | 0 | 19 |
| 23 | 1 | 5 | 5 | 2 | 0 | 0 | 0 | 13 |
| 24 | 4 | 4 | 4 | 1 | 0 | 0 | 0 | 13 |
| 25 thru 29 | 4 | 11 | 6 | 6 | 6 | 0 | 1 | 34 |
| 30 thru 34 | 2 | 1 | 6 | 5 | 1 | 2 | 0 | 17 |
| 35 thru 39 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 4 |
| Total | 66 | 56 | 38 | 20 | 9 | 3 | 1 | 193 |

Table 2
Buncombe County Resident Births for 2000
By Age of Mother and Birth Order
For All Women

| Age of Mother | Birth Order | | | | | | | | | | Total |
|--------------------|-------------|-----|-----|-----|-----|-----|-----|-----|-------------|------------|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 8th | 9th or More | Not Stated | |
| 14 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| 15 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 11 |
| 16 | 39 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 41 |
| 17 | 47 | 9 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 58 |
| 18 | 71 | 18 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 92 |
| 19 | 76 | 32 | 6 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 116 |
| 20 | 81 | 43 | 13 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 140 |
| 21 | 69 | 56 | 20 | 8 | 1 | 1 | 1 | 0 | 0 | 0 | 156 |
| 22 | 55 | 50 | 29 | 15 | 3 | 2 | 0 | 0 | 0 | 0 | 154 |
| 23 | 60 | 50 | 21 | 8 | 3 | 3 | 0 | 1 | 0 | 0 | 146 |
| 24 | 44 | 42 | 31 | 4 | 5 | 0 | 0 | 0 | 0 | 1 | 127 |
| 25 thru 29 | 265 | 250 | 108 | 48 | 19 | 6 | 4 | 0 | 1 | 0 | 701 |
| 30 thru 34 | 147 | 209 | 117 | 64 | 16 | 8 | 2 | 0 | 2 | 1 | 566 |
| 35 thru 39 | 51 | 73 | 43 | 34 | 20 | 10 | 4 | 0 | 0 | 0 | 235 |
| 40 thru 44 | 8 | 12 | 16 | 4 | 3 | 3 | 0 | 0 | 3 | 0 | 49 |
| 45 or Older | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Total | 1029 | 846 | 408 | 189 | 71 | 33 | 11 | 1 | 7 | 2 | 2597 |

Table 2
Buncombe County Resident Births for 2000
By Age of Mother and Birth Order
For White Women

| Age of Mother | Birth Order | | | | | | | | | Total |
|--------------------|-------------|-----|-----|-----|-----|-----|-----|-------------|------------|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 9th or More | Not Stated | |
| 14 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 15 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| 16 | 32 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 34 |
| 17 | 42 | 8 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 51 |
| 18 | 64 | 14 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 81 |
| 19 | 67 | 25 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 96 |
| 20 | 67 | 37 | 8 | 2 | 0 | 0 | 0 | 1 | 0 | 115 |
| 21 | 60 | 41 | 16 | 6 | 1 | 1 | 1 | 0 | 0 | 126 |
| 22 | 46 | 46 | 23 | 11 | 2 | 1 | 0 | 0 | 0 | 129 |
| 23 | 57 | 44 | 16 | 6 | 3 | 3 | 0 | 0 | 0 | 129 |
| 24 | 40 | 34 | 24 | 3 | 5 | 0 | 0 | 0 | 1 | 107 |
| 25 thru 29 | 253 | 230 | 97 | 39 | 12 | 5 | 4 | 0 | 0 | 640 |
| 30 thru 34 | 139 | 196 | 109 | 55 | 15 | 6 | 2 | 1 | 1 | 524 |
| 35 thru 39 | 47 | 71 | 43 | 34 | 19 | 9 | 3 | 0 | 0 | 226 |
| 40 thru 44 | 7 | 12 | 16 | 4 | 3 | 3 | 0 | 3 | 0 | 48 |
| 45 or Older | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Total | 933 | 760 | 359 | 161 | 60 | 28 | 10 | 5 | 2 | 2318 |

Table 2
Buncombe County Resident Births for 2000
By Age of Mother and Birth Order
For Minority Women

| Age of Mother | Birth Order | | | | | | | | | Total |
|-------------------|-------------|-----|-----|-----|-----|-----|-----|-----|-------------|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 8th | 9th or More | |
| 14 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 15 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 16 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| 17 | 5 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| 18 | 7 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 11 |
| 19 | 9 | 7 | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 20 |
| 20 | 14 | 6 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 25 |
| 21 | 9 | 15 | 4 | 2 | 0 | 0 | 0 | 0 | 0 | 30 |
| 22 | 9 | 4 | 6 | 4 | 1 | 1 | 0 | 0 | 0 | 25 |
| 23 | 3 | 6 | 5 | 2 | 0 | 0 | 0 | 1 | 0 | 17 |
| 24 | 4 | 8 | 7 | 1 | 0 | 0 | 0 | 0 | 0 | 20 |
| 25 thru 29 | 12 | 20 | 11 | 9 | 7 | 1 | 0 | 0 | 1 | 61 |
| 30 thru 34 | 8 | 13 | 8 | 9 | 1 | 2 | 0 | 0 | 1 | 42 |
| 35 thru 39 | 4 | 2 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 9 |
| 40 thru 44 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Total | 96 | 86 | 49 | 28 | 11 | 5 | 1 | 1 | 2 | 279 |

Table 3
Buncombe County Resident Births for 2000
By Age of Mother and Birth Weight in Grams
For All Women

| Age of Mother | Birth Weight in Grams | | | | Total |
|--------------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| 14 | 0 | 0 | 4 | 0 | 4 |
| 15 | 0 | 2 | 9 | 0 | 11 |
| 16 | 1 | 9 | 31 | 0 | 41 |
| 17 | 2 | 4 | 52 | 0 | 58 |
| 18 | 2 | 15 | 75 | 0 | 92 |
| 19 | 2 | 12 | 102 | 0 | 116 |
| 20 | 1 | 14 | 125 | 0 | 140 |
| 21 | 2 | 5 | 149 | 0 | 156 |
| 22 | 2 | 12 | 140 | 0 | 154 |
| 23 | 1 | 10 | 135 | 0 | 146 |
| 24 | 2 | 6 | 119 | 0 | 127 |
| 25 thru 29 | 5 | 44 | 652 | 0 | 701 |
| 30 thru 34 | 6 | 32 | 527 | 1 | 566 |
| 35 thru 39 | 6 | 18 | 211 | 0 | 235 |
| 40 thru 44 | 2 | 3 | 44 | 0 | 49 |
| 45 or Older | 0 | 0 | 1 | 0 | 1 |
| Total | 34 | 186 | 2376 | 1 | 2597 |

Table 3
Buncombe County Resident Births for 2000
By Age of Mother and Birth Weight in Grams
For White Women

| Age of Mother | Birth Weight in Grams | | | | Total |
|--------------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| 14 | 0 | 0 | 2 | 0 | 2 |
| 15 | 0 | 2 | 7 | 0 | 9 |
| 16 | 1 | 8 | 25 | 0 | 34 |
| 17 | 0 | 4 | 47 | 0 | 51 |
| 18 | 2 | 13 | 66 | 0 | 81 |
| 19 | 2 | 10 | 84 | 0 | 96 |
| 20 | 1 | 12 | 102 | 0 | 115 |
| 21 | 1 | 4 | 121 | 0 | 126 |
| 22 | 0 | 8 | 121 | 0 | 129 |
| 23 | 1 | 8 | 120 | 0 | 129 |
| 24 | 1 | 4 | 102 | 0 | 107 |
| 25 thru 29 | 5 | 36 | 599 | 0 | 640 |
| 30 thru 34 | 5 | 27 | 491 | 1 | 524 |
| 35 thru 39 | 6 | 15 | 205 | 0 | 226 |
| 40 thru 44 | 2 | 3 | 43 | 0 | 48 |
| 45 or Older | 0 | 0 | 1 | 0 | 1 |
| Total | 27 | 154 | 2136 | 1 | 2318 |

Table 3
Buncombe County Resident Births for 2000
By Age of Mother and Birth Weight in Grams
For Minority Women

| Age of Mother | Birth Weight in Grams | | | Total |
|-------------------|-----------------------|-------------|--------|-------|
| | <1500 | 1500 - 2499 | >=2500 | |
| 14 | 0 | 0 | 2 | 2 |
| 15 | 0 | 0 | 2 | 2 |
| 16 | 0 | 1 | 6 | 7 |
| 17 | 2 | 0 | 5 | 7 |
| 18 | 0 | 2 | 9 | 11 |
| 19 | 0 | 2 | 18 | 20 |
| 20 | 0 | 2 | 23 | 25 |
| 21 | 1 | 1 | 28 | 30 |
| 22 | 2 | 4 | 19 | 25 |
| 23 | 0 | 2 | 15 | 17 |
| 24 | 1 | 2 | 17 | 20 |
| 25 thru 29 | 0 | 8 | 53 | 61 |
| 30 thru 34 | 1 | 5 | 36 | 42 |
| 35 thru 39 | 0 | 3 | 6 | 9 |
| 40 thru 44 | 0 | 0 | 1 | 1 |
| Total | 7 | 32 | 240 | 279 |

Table 4
Buncombe County Resident Births for 2000
By Education of Mother and Birth Weight in Grams
For All Women

| Education of Mother | Birth Weight in Grams | | | | Total |
|---------------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None or Elem. | 0 | 7 | 90 | 0 | 97 |
| H.S. 1-3 Years | 9 | 45 | 398 | 0 | 452 |
| H.S. 4 Years | 10 | 71 | 782 | 1 | 864 |
| Col. 1-3 Years | 5 | 32 | 543 | 0 | 580 |
| Col. 4+ Years | 8 | 31 | 559 | 0 | 598 |
| Not stated | 2 | 0 | 4 | 0 | 6 |
| Total | 34 | 186 | 2376 | 1 | 2597 |

Table 4
Buncombe County Resident Births for 2000
By Education of Mother and Birth Weight in Grams
For White Women

| Education of Mother | Birth Weight in Grams | | | | Total |
|---------------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None or Elem. | 0 | 7 | 83 | 0 | 90 |
| H.S. 1-3 Years | 7 | 41 | 335 | 0 | 383 |
| H.S. 4 Years | 8 | 52 | 679 | 1 | 740 |
| Col. 1-3 Years | 5 | 27 | 494 | 0 | 526 |
| Col. 4+ Years | 6 | 27 | 542 | 0 | 575 |
| Not stated | 1 | 0 | 3 | 0 | 4 |
| Total | 27 | 154 | 2136 | 1 | 2318 |

Table 4
Buncombe County Resident Births for 2000
By Education of Mother and Birth Weight in Grams
For Minority Women

| Education of Mother | Birth Weight in Grams | | | Total |
|---------------------|-----------------------|-------------|--------|-------|
| | <1500 | 1500 - 2499 | >=2500 | |
| None or Elem. | 0 | 0 | 7 | 7 |
| H.S. 1-3 Years | 2 | 4 | 63 | 69 |
| H.S. 4 Years | 2 | 19 | 103 | 124 |
| Col. 1-3 Years | 0 | 5 | 49 | 54 |
| Col. 4+ Years | 2 | 4 | 17 | 23 |
| Not stated | 1 | 0 | 1 | 2 |
| Total | 7 | 32 | 240 | 279 |

Table 5
Buncombe County Resident Births for 2000
By Month Prenatal Care Began and Education of Mother
For All Women

| Month Prenatal Care Began | Education of Mother | | | | | | Total |
|---------------------------------|---------------------|----------------------|--------------------|----------------------|---------------------|---------------|-------|
| | None or Elem. | H.S. 1-3 Years | H.S. 4 Years | Col. 1-3 Years | Col. 4+ Years | Not stated | |
| None | 1 | 2 | 12 | 4 | 1 | 0 | 20 |
| First Month | 7 | 36 | 62 | 59 | 72 | 2 | 238 |
| Second Month | 67 | 320 | 685 | 450 | 485 | 2 | 2009 |
| Third Month | 6 | 51 | 57 | 38 | 32 | 0 | 184 |
| Fourth Month | 7 | 21 | 17 | 17 | 4 | 0 | 66 |
| Fifth Month | 2 | 9 | 11 | 8 | 3 | 0 | 33 |
| Sixth Month | 2 | 8 | 7 | 3 | 1 | 1 | 22 |
| Seventh Month | 1 | 2 | 4 | 0 | 0 | 0 | 7 |
| Eighth Month | 2 | 0 | 4 | 0 | 0 | 0 | 6 |
| Ninth Month | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| Not Stated | 2 | 2 | 5 | 1 | 0 | 1 | 11 |
| Total | 97 | 452 | 864 | 580 | 598 | 6 | 2597 |

Table 5
Buncombe County Resident Births for 2000
By Month Prenatal Care Began and Education of Mother
For White Women

| Month Prenatal Care Began | Education of Mother | | | | | | Total |
|---------------------------------|---------------------|----------------------|--------------------|----------------------|---------------------|---------------|-------|
| | None or Elem. | H.S. 1-3 Years | H.S. 4 Years | Col. 1-3 Years | Col. 4+ Years | Not stated | |
| None | 0 | 2 | 6 | 2 | 1 | 0 | 11 |
| First Month | 7 | 33 | 50 | 56 | 67 | 1 | 214 |
| Second Month | 63 | 270 | 597 | 408 | 469 | 2 | 1809 |
| Third Month | 6 | 44 | 51 | 35 | 31 | 0 | 167 |
| Fourth Month | 6 | 17 | 14 | 15 | 3 | 0 | 55 |
| Fifth Month | 1 | 9 | 9 | 7 | 3 | 0 | 29 |
| Sixth Month | 2 | 4 | 3 | 3 | 1 | 0 | 13 |
| Seventh Month | 1 | 2 | 4 | 0 | 0 | 0 | 7 |
| Eighth Month | 2 | 0 | 2 | 0 | 0 | 0 | 4 |
| Not Stated | 2 | 2 | 4 | 0 | 0 | 1 | 9 |
| Total | 90 | 383 | 740 | 526 | 575 | 4 | 2318 |

Table 5
Buncombe County Resident Births for 2000
By Month Prenatal Care Began and Education of Mother
For Minority Women

| Month Prenatal Care Began | Education of Mother | | | | | | Total |
|---------------------------------|---------------------|----------------------|--------------------|----------------------|---------------------|---------------|-------|
| | None or Elem. | H.S. 1-3 Years | H.S. 4 Years | Col. 1-3 Years | Col. 4+ Years | Not stated | |
| None | 1 | 0 | 6 | 2 | 0 | 0 | 9 |
| First Month | 0 | 3 | 12 | 3 | 5 | 1 | 24 |
| Second Month | 4 | 50 | 88 | 42 | 16 | 0 | 200 |
| Third Month | 0 | 7 | 6 | 3 | 1 | 0 | 17 |
| Fourth Month | 1 | 4 | 3 | 2 | 1 | 0 | 11 |
| Fifth Month | 1 | 0 | 2 | 1 | 0 | 0 | 4 |
| Sixth Month | 0 | 4 | 4 | 0 | 0 | 1 | 9 |
| Eighth Month | 0 | 0 | 2 | 0 | 0 | 0 | 2 |
| Ninth Month | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| Not Stated | 0 | 0 | 1 | 1 | 0 | 0 | 2 |
| Total | 7 | 69 | 124 | 54 | 23 | 2 | 279 |

Table 6
Buncombe County Resident Births for 2000
By Month Prenatal Care Began and Age of Mother
For All Women

| Age of Mother | Month Prenatal Care Began | | | | | | | | | | | Total |
|---------------|---------------------------|-------------|--------------|-------------|--------------|-------------|-------------|---------------|--------------|-------------|------------|-------|
| | None | First Month | Second Month | Third Month | Fourth Month | Fifth Month | Sixth Month | Seventh Month | Eighth Month | Ninth Month | Not Stated | |
| 14 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 4 |
| 15 | 0 | 0 | 7 | 1 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 11 |
| 16 | 0 | 3 | 30 | 5 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 41 |
| 17 | 1 | 3 | 44 | 6 | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 58 |
| 18 | 2 | 4 | 72 | 8 | 3 | 1 | 1 | 0 | 0 | 0 | 1 | 92 |
| 19 | 1 | 5 | 90 | 10 | 2 | 3 | 3 | 2 | 0 | 0 | 0 | 116 |
| 20 | 0 | 11 | 103 | 9 | 6 | 4 | 2 | 3 | 1 | 0 | 1 | 140 |
| 21 | 1 | 15 | 115 | 16 | 4 | 4 | 1 | 0 | 0 | 0 | 0 | 156 |
| 22 | 3 | 18 | 111 | 8 | 10 | 2 | 1 | 0 | 1 | 0 | 0 | 154 |
| 23 | 0 | 13 | 106 | 17 | 7 | 1 | 1 | 1 | 0 | 0 | 0 | 146 |
| 24 | 1 | 15 | 97 | 9 | 0 | 1 | 3 | 1 | 0 | 0 | 0 | 127 |
| 25 thru 29 | 6 | 61 | 550 | 47 | 16 | 6 | 8 | 0 | 1 | 0 | 6 | 701 |
| 30 thru 34 | 3 | 56 | 453 | 32 | 13 | 4 | 2 | 0 | 1 | 0 | 2 | 566 |
| 35 thru 39 | 0 | 29 | 192 | 10 | 1 | 2 | 0 | 0 | 1 | 0 | 0 | 235 |
| 40 thru 44 | 1 | 5 | 38 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 49 |
| 45 or Older | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Total | 20 | 238 | 2009 | 184 | 66 | 33 | 22 | 7 | 6 | 1 | 11 | 2597 |

Table 6
Buncombe County Resident Births for 2000
By Month Prenatal Care Began and Age of Mother
For White Women

| Age of Mother | Month Prenatal Care Began | | | | | | | | | | Total |
|--------------------|---------------------------|-------------|--------------|-------------|--------------|-------------|-------------|---------------|--------------|------------|-------|
| | None | First Month | Second Month | Third Month | Fourth Month | Fifth Month | Sixth Month | Seventh Month | Eighth Month | Not Stated | |
| 14 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 2 |
| 15 | 0 | 0 | 6 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 9 |
| 16 | 0 | 3 | 24 | 5 | 1 | 0 | 0 | 0 | 0 | 1 | 34 |
| 17 | 1 | 3 | 39 | 4 | 1 | 3 | 0 | 0 | 0 | 0 | 51 |
| 18 | 2 | 3 | 64 | 8 | 2 | 1 | 0 | 0 | 0 | 1 | 81 |
| 19 | 0 | 4 | 73 | 10 | 2 | 3 | 2 | 2 | 0 | 0 | 96 |
| 20 | 0 | 10 | 83 | 8 | 5 | 4 | 1 | 3 | 0 | 1 | 115 |
| 21 | 1 | 10 | 94 | 12 | 4 | 4 | 1 | 0 | 0 | 0 | 126 |
| 22 | 1 | 17 | 92 | 7 | 9 | 1 | 1 | 0 | 1 | 0 | 129 |
| 23 | 0 | 9 | 95 | 16 | 6 | 1 | 1 | 1 | 0 | 0 | 129 |
| 24 | 1 | 13 | 81 | 8 | 0 | 1 | 2 | 1 | 0 | 0 | 107 |
| 25 thru 29 | 4 | 56 | 512 | 42 | 12 | 5 | 4 | 0 | 1 | 4 | 640 |
| 30 thru 34 | 0 | 52 | 423 | 30 | 11 | 4 | 1 | 0 | 1 | 2 | 524 |
| 35 thru 39 | 0 | 29 | 185 | 10 | 1 | 1 | 0 | 0 | 0 | 0 | 226 |
| 40 thru 44 | 1 | 5 | 37 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 48 |
| 45 or Older | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Total | 11 | 214 | 1809 | 167 | 55 | 29 | 13 | 7 | 4 | 9 | 2318 |

Table 6
Buncombe County Resident Births for 2000
By Month Prenatal Care Began and Age of Mother
For Minority Women

| Age of Mother | Month Prenatal Care Began | | | | | | | | | | Total |
|-------------------|---------------------------|-------------|--------------|-------------|--------------|-------------|-------------|--------------|-------------|------------|-------|
| | None | First Month | Second Month | Third Month | Fourth Month | Fifth Month | Sixth Month | Eighth Month | Ninth Month | Not Stated | |
| 14 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2 |
| 15 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 2 |
| 16 | 0 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 7 |
| 17 | 0 | 0 | 5 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| 18 | 0 | 1 | 8 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 11 |
| 19 | 1 | 1 | 17 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 20 |
| 20 | 0 | 1 | 20 | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 25 |
| 21 | 0 | 5 | 21 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 30 |
| 22 | 2 | 1 | 19 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 25 |
| 23 | 0 | 4 | 11 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 17 |
| 24 | 0 | 2 | 16 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 20 |
| 25 thru 29 | 2 | 5 | 38 | 5 | 4 | 1 | 4 | 0 | 0 | 2 | 61 |
| 30 thru 34 | 3 | 4 | 30 | 2 | 2 | 0 | 1 | 0 | 0 | 0 | 42 |
| 35 thru 39 | 0 | 0 | 7 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 9 |
| 40 thru 44 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Total | 9 | 24 | 200 | 17 | 11 | 4 | 9 | 2 | 1 | 2 | 279 |

Table 7
Buncombe County Resident Births for 2000
By Month Prenatal Care Began and Marital Status of Mother
For All Women

| Month Prenatal Care Began | Marital Status of Mother | | Total |
|---------------------------------|-----------------------------|-----------|-------|
| | Married | Unmarried | |
| None | 6 | 14 | 20 |
| First Month | 182 | 56 | 238 |
| Second Month | 1374 | 635 | 2009 |
| Third Month | 103 | 81 | 184 |
| Fourth Month | 31 | 35 | 66 |
| Fifth Month | 14 | 19 | 33 |
| Sixth Month | 9 | 13 | 22 |
| Seventh Month | 2 | 5 | 7 |
| Eighth Month | 2 | 4 | 6 |
| Ninth Month | 0 | 1 | 1 |
| Not Stated | 7 | 4 | 11 |
| Total | 1730 | 867 | 2597 |

Table 7
Buncombe County Resident Births for 2000
By Month Prenatal Care Began and Marital Status of Mother
For White Women

| Month Prenatal Care Began | Marital Status of Mother | | Total |
|---------------------------------|-----------------------------|-----------|-------|
| | Married | Unmarried | |
| None | 3 | 8 | 11 |
| First Month | 170 | 44 | 214 |
| Second Month | 1318 | 491 | 1809 |
| Third Month | 96 | 71 | 167 |
| Fourth Month | 29 | 26 | 55 |
| Fifth Month | 12 | 17 | 29 |
| Sixth Month | 6 | 7 | 13 |
| Seventh Month | 2 | 5 | 7 |
| Eighth Month | 2 | 2 | 4 |
| Not Stated | 6 | 3 | 9 |
| Total | 1644 | 674 | 2318 |

Table 7
Buncombe County Resident Births for 2000
By Month Prenatal Care Began and Marital Status of Mother
For Minority Women

| Month Prenatal Care Began | Marital Status of Mother | | Total |
|---------------------------------|-----------------------------|-----------|-------|
| | Married | Unmarried | |
| None | 3 | 6 | 9 |
| First Month | 12 | 12 | 24 |
| Second Month | 56 | 144 | 200 |
| Third Month | 7 | 10 | 17 |
| Fourth Month | 2 | 9 | 11 |
| Fifth Month | 2 | 2 | 4 |
| Sixth Month | 3 | 6 | 9 |
| Eighth Month | 0 | 2 | 2 |
| Ninth Month | 0 | 1 | 1 |
| Not Stated | 1 | 1 | 2 |
| Total | 86 | 193 | 279 |

Table 8
Buncombe County Resident Births for 2000
By Month Prenatal Care Began and Birth Order
For All Women

| Month Prenatal Care Began | Birth Order | | | | | | | | | | Total |
|---------------------------------|-------------|-----|-----|-----|-----|-----|-----|-----|-------------------|---------------|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 8th | 9th or More | Not Stated | |
| None | 6 | 2 | 3 | 3 | 1 | 2 | 0 | 0 | 2 | 1 | 20 |
| First Month | 77 | 84 | 41 | 24 | 9 | 2 | 0 | 1 | 0 | 0 | 238 |
| Second Month | 828 | 670 | 292 | 141 | 43 | 25 | 7 | 0 | 2 | 1 | 2009 |
| Third Month | 68 | 53 | 37 | 14 | 8 | 2 | 0 | 0 | 2 | 0 | 184 |
| Fourth Month | 21 | 15 | 18 | 5 | 4 | 2 | 0 | 0 | 1 | 0 | 66 |
| Fifth Month | 12 | 10 | 5 | 1 | 2 | 0 | 3 | 0 | 0 | 0 | 33 |
| Sixth Month | 7 | 5 | 6 | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 22 |
| Seventh Month | 4 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| Eighth Month | 3 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 6 |
| Ninth Month | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Not Stated | 2 | 4 | 4 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 11 |
| Total | 1029 | 846 | 408 | 189 | 71 | 33 | 11 | 1 | 7 | 2 | 2597 |

Table 8
Buncombe County Resident Births for 2000
By Month Prenatal Care Began and Birth Order
For White Women

| Month Prenatal Care Began | Birth Order | | | | | | | | | Total |
|---------------------------------|-------------|-----|-----|-----|-----|-----|-----|-------------------|---------------|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 9th or More | Not Stated | |
| None | 5 | 2 | 2 | 1 | 0 | 0 | 0 | 0 | 1 | 11 |
| First Month | 70 | 76 | 38 | 19 | 9 | 2 | 0 | 0 | 0 | 214 |
| Second Month | 756 | 604 | 257 | 122 | 38 | 22 | 7 | 2 | 1 | 1809 |
| Third Month | 62 | 48 | 33 | 13 | 7 | 2 | 0 | 2 | 0 | 167 |
| Fourth Month | 18 | 13 | 14 | 4 | 3 | 2 | 0 | 1 | 0 | 55 |
| Fifth Month | 10 | 9 | 5 | 1 | 2 | 0 | 2 | 0 | 0 | 29 |
| Sixth Month | 4 | 2 | 5 | 1 | 1 | 0 | 0 | 0 | 0 | 13 |
| Seventh Month | 4 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| Eighth Month | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| Not Stated | 2 | 3 | 3 | 0 | 0 | 0 | 1 | 0 | 0 | 9 |
| Total | 933 | 760 | 359 | 161 | 60 | 28 | 10 | 5 | 2 | 2318 |

Table 8
Buncombe County Resident Births for 2000
By Month Prenatal Care Began and Birth Order
For Minority Women

| Month Prenatal Care Began | Birth Order | | | | | | | | | Total |
|---------------------------------|-------------|-----|-----|-----|-----|-----|-----|-----|-------------------|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 8th | 9th or More | |
| None | 1 | 0 | 1 | 2 | 1 | 2 | 0 | 0 | 2 | 9 |
| First Month | 7 | 8 | 3 | 5 | 0 | 0 | 0 | 1 | 0 | 24 |
| Second Month | 72 | 66 | 35 | 19 | 5 | 3 | 0 | 0 | 0 | 200 |
| Third Month | 6 | 5 | 4 | 1 | 1 | 0 | 0 | 0 | 0 | 17 |
| Fourth Month | 3 | 2 | 4 | 1 | 1 | 0 | 0 | 0 | 0 | 11 |
| Fifth Month | 2 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 4 |
| Sixth Month | 3 | 3 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 9 |
| Eighth Month | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 2 |
| Ninth Month | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Not Stated | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Total | 96 | 86 | 49 | 28 | 11 | 5 | 1 | 1 | 2 | 279 |

Table 9
Buncombe County Resident Births for 2000
By Month Prenatal Care Began and Birth Weight in Grams
For All Women

| Month Prenatal Care Began | Birth Weight in Grams | | | | Total |
|---------------------------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None | 3 | 2 | 15 | 0 | 20 |
| First Month | 12 | 23 | 203 | 0 | 238 |
| Second Month | 13 | 137 | 1858 | 1 | 2009 |
| Third Month | 4 | 8 | 172 | 0 | 184 |
| Fourth Month | 0 | 6 | 60 | 0 | 66 |
| Fifth Month | 0 | 5 | 28 | 0 | 33 |
| Sixth Month | 0 | 2 | 20 | 0 | 22 |
| Seventh Month | 0 | 0 | 7 | 0 | 7 |
| Eighth Month | 0 | 0 | 6 | 0 | 6 |
| Ninth Month | 0 | 0 | 1 | 0 | 1 |
| Not Stated | 2 | 3 | 6 | 0 | 11 |
| Total | 34 | 186 | 2376 | 1 | 2597 |

Table 9
Buncombe County Resident Births for 2000
By Month Prenatal Care Began and Birth Weight in Grams
For White Women

| Month Prenatal Care Began | Birth Weight in Grams | | | | Total |
|---------------------------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None | 1 | 1 | 9 | 0 | 11 |
| First Month | 10 | 20 | 184 | 0 | 214 |
| Second Month | 11 | 116 | 1681 | 1 | 1809 |
| Third Month | 3 | 7 | 157 | 0 | 167 |
| Fourth Month | 0 | 4 | 51 | 0 | 55 |
| Fifth Month | 0 | 4 | 25 | 0 | 29 |
| Sixth Month | 0 | 0 | 13 | 0 | 13 |
| Seventh Month | 0 | 0 | 7 | 0 | 7 |
| Eighth Month | 0 | 0 | 4 | 0 | 4 |
| Not Stated | 2 | 2 | 5 | 0 | 9 |
| Total | 27 | 154 | 2136 | 1 | 2318 |

Table 9
Buncombe County Resident Births for 2000
By Month Prenatal Care Began and Birth Weight in Grams
For Minority Women

| Month Prenatal Care Began | Birth Weight in Grams | | | Total |
|---------------------------------|-----------------------|-------------|--------|-------|
| | <1500 | 1500 - 2499 | >=2500 | |
| None | 2 | 1 | 6 | 9 |
| First Month | 2 | 3 | 19 | 24 |
| Second Month | 2 | 21 | 177 | 200 |
| Third Month | 1 | 1 | 15 | 17 |
| Fourth Month | 0 | 2 | 9 | 11 |
| Fifth Month | 0 | 1 | 3 | 4 |
| Sixth Month | 0 | 2 | 7 | 9 |
| Eighth Month | 0 | 0 | 2 | 2 |
| Ninth Month | 0 | 0 | 1 | 1 |
| Not Stated | 0 | 1 | 1 | 2 |
| Total | 7 | 32 | 240 | 279 |

Table 10
Buncombe County Resident Births for 2000
By Number of Prenatal Visits and Education of Mother
For All Women

| Number of Prenatal Visits | Education of Mother | | | | | | Total |
|---------------------------|---------------------|----------------|--------------|----------------|---------------|------------|-------|
| | None or Elem. | H.S. 1-3 Years | H.S. 4 Years | Col. 1-3 Years | Col. 4+ Years | Not stated | |
| None | 1 | 2 | 12 | 4 | 1 | 0 | 20 |
| One | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| Three | 1 | 1 | 3 | 0 | 0 | 0 | 5 |
| Four | 2 | 1 | 0 | 1 | 1 | 0 | 5 |
| Five | 0 | 5 | 6 | 1 | 3 | 0 | 15 |
| Six | 0 | 2 | 4 | 2 | 1 | 1 | 10 |
| Seven | 2 | 8 | 4 | 3 | 1 | 0 | 18 |
| Eight | 3 | 6 | 10 | 8 | 5 | 0 | 32 |
| Nine | 2 | 15 | 10 | 10 | 4 | 0 | 41 |
| Ten | 4 | 32 | 41 | 22 | 18 | 1 | 118 |
| Eleven | 6 | 24 | 23 | 18 | 20 | 0 | 91 |
| Twelve | 55 | 258 | 536 | 356 | 396 | 2 | 1603 |
| Thirteen | 5 | 32 | 61 | 48 | 52 | 0 | 198 |
| Fourteen | 3 | 23 | 33 | 24 | 26 | 0 | 109 |
| Fifteen | 6 | 11 | 39 | 32 | 20 | 0 | 108 |
| 16 or More | 5 | 28 | 68 | 47 | 49 | 1 | 198 |
| Not Stated | 2 | 4 | 13 | 4 | 1 | 1 | 25 |
| Total | 97 | 452 | 864 | 580 | 598 | 6 | 2597 |

Table 10
Buncombe County Resident Births for 2000
By Number of Prenatal Visits and Education of Mother
For White Women

| Number of Prenatal Visits | Education of Mother | | | | | | Total |
|---------------------------|---------------------|----------------|--------------|----------------|---------------|------------|-------|
| | None or Elem. | H.S. 1-3 Years | H.S. 4 Years | Col. 1-3 Years | Col. 4+ Years | Not stated | |
| None | 0 | 2 | 6 | 2 | 1 | 0 | 11 |
| One | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| Three | 1 | 0 | 1 | 0 | 0 | 0 | 2 |
| Four | 2 | 1 | 0 | 0 | 1 | 0 | 4 |
| Five | 0 | 4 | 3 | 1 | 1 | 0 | 9 |
| Six | 0 | 2 | 3 | 2 | 1 | 0 | 8 |
| Seven | 2 | 5 | 4 | 2 | 0 | 0 | 13 |
| Eight | 2 | 5 | 8 | 8 | 5 | 0 | 28 |
| Nine | 1 | 14 | 9 | 9 | 4 | 0 | 37 |
| Ten | 4 | 24 | 35 | 21 | 18 | 0 | 102 |
| Eleven | 6 | 20 | 18 | 17 | 20 | 0 | 81 |
| Twelve | 51 | 223 | 466 | 320 | 382 | 2 | 1444 |
| Thirteen | 5 | 28 | 56 | 45 | 49 | 0 | 183 |
| Fourteen | 3 | 20 | 26 | 22 | 24 | 0 | 95 |
| Fifteen | 6 | 11 | 36 | 30 | 20 | 0 | 103 |
| 16 or More | 5 | 20 | 56 | 44 | 48 | 1 | 174 |
| Not Stated | 2 | 4 | 12 | 3 | 1 | 1 | 23 |
| Total | 90 | 383 | 740 | 526 | 575 | 4 | 2318 |

Table 10
Buncombe County Resident Births for 2000
By Number of Prenatal Visits and Education of Mother
For Minority Women

| Number of Prenatal Visits | Education of Mother | | | | | | Total |
|---------------------------|---------------------|----------------|--------------|----------------|---------------|------------|-------|
| | None or Elem. | H.S. 1-3 Years | H.S. 4 Years | Col. 1-3 Years | Col. 4+ Years | Not stated | |
| None | 1 | 0 | 6 | 2 | 0 | 0 | 9 |
| Three | 0 | 1 | 2 | 0 | 0 | 0 | 3 |
| Four | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| Five | 0 | 1 | 3 | 0 | 2 | 0 | 6 |
| Six | 0 | 0 | 1 | 0 | 0 | 1 | 2 |
| Seven | 0 | 3 | 0 | 1 | 1 | 0 | 5 |
| Eight | 1 | 1 | 2 | 0 | 0 | 0 | 4 |
| Nine | 1 | 1 | 1 | 1 | 0 | 0 | 4 |
| Ten | 0 | 8 | 6 | 1 | 0 | 1 | 16 |
| Eleven | 0 | 4 | 5 | 1 | 0 | 0 | 10 |
| Twelve | 4 | 35 | 70 | 36 | 14 | 0 | 159 |
| Thirteen | 0 | 4 | 5 | 3 | 3 | 0 | 15 |
| Fourteen | 0 | 3 | 7 | 2 | 2 | 0 | 14 |
| Fifteen | 0 | 0 | 3 | 2 | 0 | 0 | 5 |
| 16 or More | 0 | 8 | 12 | 3 | 1 | 0 | 24 |
| Not Stated | 0 | 0 | 1 | 1 | 0 | 0 | 2 |
| Total | 7 | 69 | 124 | 54 | 23 | 2 | 279 |

Table 11
Buncombe County Resident Births for 2000
By Number of Prenatal Visits and Age of Mother
For All Women

| Number of Prenatal Visits | Age of Mother | | | | | | | | | | | | | | | | Total |
|---------------------------|---------------|----|----|----|----|-----|-----|-----|-----|-----|-----|------------------|------------------|------------------|------------------|----------------|-------|
| | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 thru 29 | 30 thru 34 | 35 thru 39 | 40 thru 44 | 45 or Older | |
| None | 1 | 0 | 0 | 1 | 2 | 1 | 0 | 1 | 3 | 0 | 1 | 6 | 3 | 0 | 1 | 0 | 20 |
| One | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| Three | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 0 | 0 | 5 |
| Four | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 0 | 0 | 5 |
| Five | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 2 | 1 | 0 | 0 | 15 |
| Six | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 1 | 0 | 1 | 0 | 10 |
| Seven | 0 | 0 | 0 | 3 | 1 | 0 | 4 | 1 | 0 | 2 | 1 | 3 | 3 | 0 | 0 | 0 | 18 |
| Eight | 0 | 1 | 0 | 2 | 1 | 4 | 1 | 0 | 3 | 1 | 4 | 7 | 5 | 2 | 1 | 0 | 32 |
| Nine | 1 | 0 | 3 | 3 | 2 | 3 | 7 | 7 | 1 | 1 | 2 | 3 | 6 | 2 | 0 | 0 | 41 |
| Ten | 0 | 0 | 4 | 5 | 7 | 7 | 9 | 5 | 10 | 10 | 3 | 28 | 17 | 9 | 4 | 0 | 118 |
| Eleven | 0 | 2 | 0 | 1 | 5 | 5 | 6 | 4 | 8 | 3 | 3 | 23 | 22 | 8 | 1 | 0 | 91 |
| Twelve | 0 | 6 | 26 | 30 | 52 | 78 | 77 | 96 | 89 | 85 | 77 | 440 | 374 | 145 | 27 | 1 | 1603 |
| Thirteen | 0 | 0 | 4 | 2 | 4 | 5 | 10 | 20 | 13 | 10 | 8 | 52 | 45 | 19 | 6 | 0 | 198 |
| Fourteen | 0 | 0 | 0 | 4 | 6 | 1 | 9 | 6 | 5 | 8 | 11 | 31 | 20 | 7 | 1 | 0 | 109 |
| Fifteen | 0 | 1 | 1 | 1 | 4 | 2 | 6 | 5 | 4 | 9 | 5 | 36 | 23 | 9 | 2 | 0 | 108 |
| 16 or More | 1 | 1 | 0 | 4 | 6 | 8 | 9 | 7 | 13 | 14 | 8 | 56 | 38 | 28 | 5 | 0 | 198 |
| Not Stated | 0 | 0 | 1 | 1 | 0 | 1 | 1 | 2 | 3 | 1 | 0 | 8 | 4 | 3 | 0 | 0 | 25 |
| Total | 4 | 11 | 41 | 58 | 92 | 116 | 140 | 156 | 154 | 146 | 127 | 701 | 566 | 235 | 49 | 1 | 2597 |

Table 11
Buncombe County Resident Births for 2000
By Number of Prenatal Visits and Age of Mother
For White Women

| Number of Prenatal Visits | Age of Mother | | | | | | | | | | | | | | | | Total |
|---------------------------|---------------|----|----|----|----|----|-----|-----|-----|-----|-----|------------------|------------------|------------------|------------------|----------------|-------|
| | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 thru 29 | 30 thru 34 | 35 thru 39 | 40 thru 44 | 45 or Older | |
| None | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 1 | 1 | 0 | 1 | 4 | 0 | 0 | 1 | 0 | 11 |
| One | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| Three | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 2 |
| Four | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 4 |
| Five | 0 | 0 | 1 | 1 | 1 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 1 | 1 | 0 | 0 | 9 |
| Six | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 1 | 0 | 1 | 0 | 8 |
| Seven | 0 | 0 | 0 | 3 | 0 | 0 | 3 | 0 | 0 | 2 | 1 | 2 | 2 | 0 | 0 | 0 | 13 |
| Eight | 0 | 0 | 0 | 1 | 1 | 3 | 1 | 0 | 3 | 1 | 4 | 6 | 5 | 2 | 1 | 0 | 28 |
| Nine | 0 | 0 | 3 | 3 | 2 | 3 | 6 | 6 | 1 | 1 | 2 | 3 | 5 | 2 | 0 | 0 | 37 |
| Ten | 0 | 0 | 4 | 3 | 6 | 4 | 8 | 4 | 7 | 9 | 3 | 27 | 15 | 8 | 4 | 0 | 102 |
| Eleven | 0 | 2 | 0 | 1 | 4 | 4 | 5 | 2 | 8 | 3 | 2 | 21 | 20 | 8 | 1 | 0 | 81 |
| Twelve | 0 | 5 | 22 | 26 | 48 | 66 | 64 | 77 | 73 | 73 | 67 | 407 | 349 | 140 | 26 | 1 | 1444 |
| Thirteen | 0 | 0 | 2 | 2 | 4 | 5 | 8 | 19 | 13 | 9 | 8 | 45 | 44 | 18 | 6 | 0 | 183 |
| Fourteen | 0 | 0 | 0 | 4 | 4 | 1 | 7 | 5 | 5 | 8 | 5 | 29 | 19 | 7 | 1 | 0 | 95 |
| Fifteen | 0 | 1 | 1 | 1 | 4 | 2 | 5 | 5 | 3 | 9 | 5 | 34 | 22 | 9 | 2 | 0 | 103 |
| 16 or More | 1 | 1 | 0 | 4 | 4 | 6 | 7 | 4 | 11 | 11 | 7 | 51 | 34 | 28 | 5 | 0 | 174 |
| Not Stated | 0 | 0 | 1 | 1 | 0 | 1 | 1 | 2 | 3 | 1 | 0 | 6 | 4 | 3 | 0 | 0 | 23 |
| Total | 2 | 9 | 34 | 51 | 81 | 96 | 115 | 126 | 129 | 129 | 107 | 640 | 524 | 226 | 48 | 1 | 2318 |

Table 11
Buncombe County Resident Births for 2000
By Number of Prenatal Visits and Age of Mother
For Minority Women

| Number of Prenatal Visits | Age of Mother | | | | | | | | | | | | | | | | Total |
|---------------------------|---------------|----|----|----|----|----|----|----|----|----|----|------------------|------------------|------------------|------------------|-----|-------|
| | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 thru 29 | 30 thru 34 | 35 thru 39 | 40 thru 44 | | |
| None | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 0 | 2 | 3 | 0 | 0 | 9 | |
| Three | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 3 | |
| Four | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | |
| Five | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 2 | 1 | 0 | 0 | 6 | |
| Six | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 2 | |
| Seven | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 5 | |
| Eight | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 4 | |
| Nine | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 4 | |
| Ten | 0 | 0 | 0 | 2 | 1 | 3 | 1 | 1 | 3 | 1 | 0 | 1 | 2 | 1 | 0 | 16 | |
| Eleven | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 0 | 0 | 1 | 2 | 2 | 0 | 0 | 10 | |
| Twelve | 0 | 1 | 4 | 4 | 4 | 12 | 13 | 19 | 16 | 12 | 10 | 33 | 25 | 5 | 1 | 159 | |
| Thirteen | 0 | 0 | 2 | 0 | 0 | 0 | 2 | 1 | 0 | 1 | 0 | 7 | 1 | 1 | 0 | 15 | |
| Fourteen | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 1 | 0 | 0 | 6 | 2 | 1 | 0 | 0 | 14 | |
| Fifteen | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 2 | 1 | 0 | 0 | 5 | |
| 16 or More | 0 | 0 | 0 | 0 | 2 | 2 | 2 | 3 | 2 | 3 | 1 | 5 | 4 | 0 | 0 | 24 | |
| Not Stated | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 2 | |
| Total | 2 | 2 | 7 | 7 | 11 | 20 | 25 | 30 | 25 | 17 | 20 | 61 | 42 | 9 | 1 | 279 | |

Table 12
Buncombe County Resident Births for 2000
By Number of Prenatal Visits and Marital Status of Mother
For All Women

| Number of Prenatal Visits | Marital Status of Mother | | Total |
|---------------------------|--------------------------|-----------|-------|
| | Married | Unmarried | |
| None | 6 | 14 | 20 |
| One | 1 | 0 | 1 |
| Three | 2 | 3 | 5 |
| Four | 2 | 3 | 5 |
| Five | 2 | 13 | 15 |
| Six | 6 | 4 | 10 |
| Seven | 7 | 11 | 18 |
| Eight | 22 | 10 | 32 |
| Nine | 16 | 25 | 41 |
| Ten | 59 | 59 | 118 |
| Eleven | 56 | 35 | 91 |
| Twelve | 1103 | 500 | 1603 |
| Thirteen | 145 | 53 | 198 |
| Fourteen | 77 | 32 | 109 |
| Fifteen | 78 | 30 | 108 |
| 16 or More | 133 | 65 | 198 |
| Not Stated | 15 | 10 | 25 |
| Total | 1730 | 867 | 2597 |

Table 12
Buncombe County Resident Births for 2000
By Number of Prenatal Visits and Marital Status of Mother
For White Women

| Number of Prenatal Visits | Marital Status of Mother | | Total |
|---------------------------|--------------------------|-----------|-------|
| | Married | Unmarried | |
| None | 3 | 8 | 11 |
| One | 1 | 0 | 1 |
| Three | 2 | 0 | 2 |
| Four | 1 | 3 | 4 |
| Five | 2 | 7 | 9 |
| Six | 4 | 4 | 8 |
| Seven | 5 | 8 | 13 |
| Eight | 21 | 7 | 28 |
| Nine | 16 | 21 | 37 |
| Ten | 57 | 45 | 102 |
| Eleven | 53 | 28 | 81 |
| Twelve | 1056 | 388 | 1444 |
| Thirteen | 137 | 46 | 183 |
| Fourteen | 71 | 24 | 95 |
| Fifteen | 75 | 28 | 103 |
| 16 or More | 126 | 48 | 174 |
| Not Stated | 14 | 9 | 23 |
| Total | 1644 | 674 | 2318 |

Table 12
Buncombe County Resident Births for 2000
By Number of Prenatal Visits and Marital Status of Mother
For Minority Women

| Number of Prenatal Visits | Marital Status of Mother | | Total |
|---------------------------|--------------------------|-----------|-------|
| | Married | Unmarried | |
| None | 3 | 6 | 9 |
| Three | 0 | 3 | 3 |
| Four | 1 | 0 | 1 |
| Five | 0 | 6 | 6 |
| Six | 2 | 0 | 2 |
| Seven | 2 | 3 | 5 |
| Eight | 1 | 3 | 4 |
| Nine | 0 | 4 | 4 |
| Ten | 2 | 14 | 16 |
| Eleven | 3 | 7 | 10 |
| Twelve | 47 | 112 | 159 |
| Thirteen | 8 | 7 | 15 |
| Fourteen | 6 | 8 | 14 |
| Fifteen | 3 | 2 | 5 |
| 16 or More | 7 | 17 | 24 |
| Not Stated | 1 | 1 | 2 |
| Total | 86 | 193 | 279 |

Table 13
Buncombe County Resident Births for 2000
By Number of Prenatal Visits and Birth Order
For All Women

| Number of Prenatal Visits | Birth Order | | | | | | | | | | Total |
|---------------------------|-------------|-----|-----|-----|-----|-----|-----|-----|-------------|------------|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 8th | 9th or More | Not Stated | |
| None | 6 | 2 | 3 | 3 | 1 | 2 | 0 | 0 | 2 | 1 | 20 |
| One | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Three | 1 | 3 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 5 |
| Four | 3 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 5 |
| Five | 8 | 6 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 15 |
| Six | 4 | 2 | 2 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 10 |
| Seven | 8 | 6 | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 18 |
| Eight | 12 | 11 | 4 | 3 | 1 | 0 | 0 | 0 | 1 | 0 | 32 |
| Nine | 16 | 8 | 11 | 4 | 2 | 0 | 0 | 0 | 0 | 0 | 41 |
| Ten | 44 | 37 | 25 | 4 | 3 | 5 | 0 | 0 | 0 | 0 | 118 |
| Eleven | 33 | 30 | 18 | 7 | 2 | 0 | 0 | 0 | 1 | 0 | 91 |
| Twelve | 667 | 548 | 230 | 111 | 27 | 14 | 6 | 0 | 0 | 0 | 1603 |
| Thirteen | 92 | 59 | 29 | 10 | 5 | 1 | 1 | 1 | 0 | 0 | 198 |
| Fourteen | 43 | 32 | 18 | 6 | 6 | 3 | 0 | 0 | 1 | 0 | 109 |
| Fifteen | 30 | 27 | 27 | 14 | 3 | 4 | 1 | 0 | 1 | 1 | 108 |
| 16 or More | 54 | 67 | 34 | 26 | 13 | 3 | 0 | 0 | 1 | 0 | 198 |
| Not Stated | 7 | 8 | 4 | 0 | 4 | 1 | 1 | 0 | 0 | 0 | 25 |
| Total | 1029 | 846 | 408 | 189 | 71 | 33 | 11 | 1 | 7 | 2 | 2597 |

Table 13
Buncombe County Resident Births for 2000
By Number of Prenatal Visits and Birth Order
For White Women

| Number of Prenatal Visits | Birth Order | | | | | | | | | Total |
|---------------------------|-------------|-----|-----|-----|-----|-----|-----|-------------|------------|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 9th or More | Not Stated | |
| None | 5 | 2 | 2 | 1 | 0 | 0 | 0 | 0 | 1 | 11 |
| One | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Three | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Four | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| Five | 5 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| Six | 3 | 2 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 8 |
| Seven | 7 | 4 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 13 |
| Eight | 9 | 10 | 4 | 3 | 1 | 0 | 0 | 1 | 0 | 28 |
| Nine | 13 | 8 | 10 | 4 | 2 | 0 | 0 | 0 | 0 | 37 |
| Ten | 38 | 34 | 21 | 2 | 3 | 4 | 0 | 0 | 0 | 102 |
| Eleven | 31 | 27 | 16 | 5 | 1 | 0 | 0 | 1 | 0 | 81 |
| Twelve | 607 | 496 | 200 | 96 | 26 | 13 | 6 | 0 | 0 | 1444 |
| Thirteen | 86 | 55 | 27 | 10 | 3 | 1 | 1 | 0 | 0 | 183 |
| Fourteen | 42 | 26 | 15 | 3 | 5 | 3 | 0 | 1 | 0 | 95 |
| Fifteen | 29 | 24 | 26 | 14 | 3 | 4 | 1 | 1 | 1 | 103 |
| 16 or More | 47 | 59 | 31 | 23 | 11 | 2 | 0 | 1 | 0 | 174 |
| Not Stated | 7 | 7 | 3 | 0 | 4 | 1 | 1 | 0 | 0 | 23 |
| Total | 933 | 760 | 359 | 161 | 60 | 28 | 10 | 5 | 2 | 2318 |

Table 13
Buncombe County Resident Births for 2000
By Number of Prenatal Visits and Birth Order
For Minority Women

| Number of Prenatal Visits | Birth Order | | | | | | | | | Total |
|---------------------------|-------------|-----|-----|-----|-----|-----|-----|-----|-------------|-------|
| | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 8th | 9th or More | |
| None | 1 | 0 | 1 | 2 | 1 | 2 | 0 | 0 | 2 | 9 |
| Three | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 3 |
| Four | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| Five | 3 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 6 |
| Six | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Seven | 1 | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 5 |
| Eight | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| Nine | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| Ten | 6 | 3 | 4 | 2 | 0 | 1 | 0 | 0 | 0 | 16 |
| Eleven | 2 | 3 | 2 | 2 | 1 | 0 | 0 | 0 | 0 | 10 |
| Twelve | 60 | 52 | 30 | 15 | 1 | 1 | 0 | 0 | 0 | 159 |
| Thirteen | 6 | 4 | 2 | 0 | 2 | 0 | 0 | 1 | 0 | 15 |
| Fourteen | 1 | 6 | 3 | 3 | 1 | 0 | 0 | 0 | 0 | 14 |
| Fifteen | 1 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| 16 or More | 7 | 8 | 3 | 3 | 2 | 1 | 0 | 0 | 0 | 24 |
| Not Stated | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Total | 96 | 86 | 49 | 28 | 11 | 5 | 1 | 1 | 2 | 279 |

Table 14
Buncombe County Resident Births for 2000
By Number of Prenatal Visits and Birth Weight in Grams
For All Women

| Number of Prenatal Visits | Birth Weight in Grams | | | | Total |
|---------------------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None | 3 | 2 | 15 | 0 | 20 |
| One | 0 | 0 | 1 | 0 | 1 |
| Three | 0 | 1 | 3 | 1 | 5 |
| Four | 2 | 1 | 2 | 0 | 5 |
| Five | 6 | 2 | 7 | 0 | 15 |
| Six | 2 | 3 | 5 | 0 | 10 |
| Seven | 0 | 2 | 16 | 0 | 18 |
| Eight | 2 | 6 | 24 | 0 | 32 |
| Nine | 1 | 2 | 38 | 0 | 41 |
| Ten | 5 | 30 | 83 | 0 | 118 |
| Eleven | 1 | 5 | 85 | 0 | 91 |
| Twelve | 0 | 61 | 1542 | 0 | 1603 |
| Thirteen | 1 | 8 | 189 | 0 | 198 |
| Fourteen | 0 | 4 | 105 | 0 | 109 |
| Fifteen | 4 | 19 | 85 | 0 | 108 |
| 16 or More | 5 | 31 | 162 | 0 | 198 |
| Not Stated | 2 | 9 | 14 | 0 | 25 |
| Total | 34 | 186 | 2376 | 1 | 2597 |

Table 14
Buncombe County Resident Births for 2000
By Number of Prenatal Visits and Birth Weight in Grams
For White Women

| Number of Prenatal Visits | Birth Weight in Grams | | | | Total |
|---------------------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None | 1 | 1 | 9 | 0 | 11 |
| One | 0 | 0 | 1 | 0 | 1 |
| Three | 0 | 0 | 1 | 1 | 2 |
| Four | 2 | 0 | 2 | 0 | 4 |
| Five | 4 | 1 | 4 | 0 | 9 |
| Six | 1 | 3 | 4 | 0 | 8 |
| Seven | 0 | 2 | 11 | 0 | 13 |
| Eight | 1 | 6 | 21 | 0 | 28 |
| Nine | 1 | 2 | 34 | 0 | 37 |
| Ten | 4 | 25 | 73 | 0 | 102 |
| Eleven | 1 | 5 | 75 | 0 | 81 |
| Twelve | 0 | 50 | 1394 | 0 | 1444 |
| Thirteen | 1 | 7 | 175 | 0 | 183 |
| Fourteen | 0 | 1 | 94 | 0 | 95 |
| Fifteen | 4 | 18 | 81 | 0 | 103 |
| 16 or More | 5 | 25 | 144 | 0 | 174 |
| Not Stated | 2 | 8 | 13 | 0 | 23 |
| Total | 27 | 154 | 2136 | 1 | 2318 |

Table 14
Buncombe County Resident Births for 2000
By Number of Prenatal Visits and Birth Weight in Grams
For Minority Women

| Number of Prenatal Visits | Birth Weight in Grams | | | Total |
|---------------------------|-----------------------|-------------|--------|-------|
| | <1500 | 1500 - 2499 | >=2500 | |
| None | 2 | 1 | 6 | 9 |
| Three | 0 | 1 | 2 | 3 |
| Four | 0 | 1 | 0 | 1 |
| Five | 2 | 1 | 3 | 6 |
| Six | 1 | 0 | 1 | 2 |
| Seven | 0 | 0 | 5 | 5 |
| Eight | 1 | 0 | 3 | 4 |
| Nine | 0 | 0 | 4 | 4 |
| Ten | 1 | 5 | 10 | 16 |
| Eleven | 0 | 0 | 10 | 10 |
| Twelve | 0 | 11 | 148 | 159 |
| Thirteen | 0 | 1 | 14 | 15 |
| Fourteen | 0 | 3 | 11 | 14 |
| Fifteen | 0 | 1 | 4 | 5 |
| 16 or More | 0 | 6 | 18 | 24 |
| Not Stated | 0 | 1 | 1 | 2 |
| Total | 7 | 32 | 240 | 279 |

Table 15
Buncombe County Resident Births for 2000
By Month Prenatal Care Began and Number of Prenatal Visits
For All Women

| Number of Prenatal Visits | Month Prenatal Care Began | | | | | | | | | | | Total |
|---------------------------|---------------------------|-------------|--------------|-------------|--------------|-------------|-------------|---------------|--------------|-------------|------------|-------|
| | None | First Month | Second Month | Third Month | Fourth Month | Fifth Month | Sixth Month | Seventh Month | Eighth Month | Ninth Month | Not Stated | |
| None | 20 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 20 |
| One | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| Three | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 2 | 1 | 0 | 5 |
| Four | 0 | 0 | 2 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | 5 |
| Five | 0 | 2 | 4 | 1 | 3 | 2 | 2 | 0 | 1 | 0 | 0 | 15 |
| Six | 0 | 2 | 2 | 2 | 0 | 1 | 2 | 0 | 1 | 0 | 0 | 10 |
| Seven | 0 | 1 | 1 | 1 | 2 | 5 | 5 | 3 | 0 | 0 | 0 | 18 |
| Eight | 0 | 0 | 16 | 5 | 3 | 4 | 4 | 0 | 0 | 0 | 0 | 32 |
| Nine | 0 | 3 | 12 | 8 | 4 | 11 | 2 | 1 | 0 | 0 | 0 | 41 |
| Ten | 0 | 8 | 70 | 11 | 24 | 3 | 2 | 0 | 0 | 0 | 0 | 118 |
| Eleven | 0 | 12 | 54 | 15 | 7 | 2 | 0 | 1 | 0 | 0 | 0 | 91 |
| Twelve | 0 | 97 | 1388 | 102 | 10 | 2 | 1 | 2 | 0 | 0 | 1 | 1603 |
| Thirteen | 0 | 26 | 163 | 7 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 198 |
| Fourteen | 0 | 15 | 83 | 5 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 109 |
| Fifteen | 0 | 18 | 81 | 6 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 108 |
| 16 or More | 0 | 51 | 122 | 20 | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 198 |
| Not Stated | 0 | 3 | 10 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 10 | 25 |
| Total | 20 | 238 | 2009 | 184 | 66 | 33 | 22 | 7 | 6 | 1 | 11 | 2597 |

Table 15
Buncombe County Resident Births for 2000
By Month Prenatal Care Began and Number of Prenatal Visits
For White Women

| Number of Prenatal Visits | Month Prenatal Care Began | | | | | | | | | | Total |
|---------------------------|---------------------------|-------------|--------------|-------------|--------------|-------------|-------------|---------------|--------------|------------|-------|
| | None | First Month | Second Month | Third Month | Fourth Month | Fifth Month | Sixth Month | Seventh Month | Eighth Month | Not Stated | |
| None | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 11 |
| One | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| Three | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 |
| Four | 0 | 0 | 2 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 4 |
| Five | 0 | 1 | 3 | 1 | 3 | 1 | 0 | 0 | 0 | 0 | 9 |
| Six | 0 | 1 | 2 | 2 | 0 | 1 | 1 | 0 | 1 | 0 | 8 |
| Seven | 0 | 1 | 1 | 0 | 1 | 5 | 2 | 3 | 0 | 0 | 13 |
| Eight | 0 | 0 | 15 | 4 | 3 | 2 | 4 | 0 | 0 | 0 | 28 |
| Nine | 0 | 3 | 12 | 7 | 2 | 11 | 1 | 1 | 0 | 0 | 37 |
| Ten | 0 | 8 | 59 | 9 | 22 | 3 | 1 | 0 | 0 | 0 | 102 |
| Eleven | 0 | 11 | 48 | 13 | 6 | 2 | 0 | 1 | 0 | 0 | 81 |
| Twelve | 0 | 88 | 1245 | 98 | 7 | 2 | 1 | 2 | 0 | 1 | 1444 |
| Thirteen | 0 | 22 | 152 | 7 | 1 | 0 | 1 | 0 | 0 | 0 | 183 |
| Fourteen | 0 | 13 | 73 | 4 | 5 | 0 | 0 | 0 | 0 | 0 | 95 |
| Fifteen | 0 | 18 | 77 | 5 | 1 | 1 | 1 | 0 | 0 | 0 | 103 |
| 16 or More | 0 | 45 | 109 | 16 | 3 | 1 | 0 | 0 | 0 | 0 | 174 |
| Not Stated | 0 | 3 | 10 | 1 | 1 | 0 | 0 | 0 | 0 | 8 | 23 |
| Total | 11 | 214 | 1809 | 167 | 55 | 29 | 13 | 7 | 4 | 9 | 2318 |

Table 15
Buncombe County Resident Births for 2000
By Month Prenatal Care Began and Number of Prenatal Visits
For Minority Women

| Number of Prenatal Visits | Month Prenatal Care Began | | | | | | | | | | Total |
|---------------------------|---------------------------|-------------|--------------|-------------|--------------|-------------|-------------|--------------|-------------|------------|-------|
| | None | First Month | Second Month | Third Month | Fourth Month | Fifth Month | Sixth Month | Eighth Month | Ninth Month | Not Stated | |
| None | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| Three | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 3 |
| Four | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| Five | 0 | 1 | 1 | 0 | 0 | 1 | 2 | 1 | 0 | 0 | 6 |
| Six | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 |
| Seven | 0 | 0 | 0 | 1 | 1 | 0 | 3 | 0 | 0 | 0 | 5 |
| Eight | 0 | 0 | 1 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 4 |
| Nine | 0 | 0 | 0 | 1 | 2 | 0 | 1 | 0 | 0 | 0 | 4 |
| Ten | 0 | 0 | 11 | 2 | 2 | 0 | 1 | 0 | 0 | 0 | 16 |
| Eleven | 0 | 1 | 6 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 10 |
| Twelve | 0 | 9 | 143 | 4 | 3 | 0 | 0 | 0 | 0 | 0 | 159 |
| Thirteen | 0 | 4 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 15 |
| Fourteen | 0 | 2 | 10 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 14 |
| Fifteen | 0 | 0 | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| 16 or More | 0 | 6 | 13 | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 24 |
| Not Stated | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| Total | 9 | 24 | 200 | 17 | 11 | 4 | 9 | 2 | 1 | 2 | 279 |

Table 16
Buncombe County Resident Births for 2000
By Medical History, This Pregnancy and Birth Weight in Grams
For All Women

| Medical History, This Pregnancy | | Birth Weight in Grams | | | | Total |
|---------------------------------|--------------|-----------------------|-------------|--------|---------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None | | 4 | 46 | 1536 | 1 | 1587 |
| Anemia | | 0 | 2 | 26 | 0 | 28 |
| Diabetes | | 1 | 3 | 14 | 0 | 18 |
| Hypertension | | 8 | 40 | 192 | 0 | 240 |
| All Others | | 29 | 119 | 701 | 0 | 849 |
| One or More | | 30 | 140 | 840 | 0 | 1010 |
| Unknown | | 0 | 0 | 0 | 0 | 0 |
| | Total | 34 | 186 | 2376 | 1 | 2597 |

Table 16
Buncombe County Resident Births for 2000
By Medical History, This Pregnancy and Birth Weight in Grams
For White Women

| Medical History, This Pregnancy | | Birth Weight in Grams | | | | Total |
|---------------------------------|--------------|-----------------------|-------------|--------|---------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None | | 4 | 34 | 1393 | 1 | 1432 |
| Anemia | | 0 | 1 | 22 | 0 | 23 |
| Diabetes | | 1 | 2 | 12 | 0 | 15 |
| Hypertension | | 8 | 33 | 174 | 0 | 215 |
| All Others | | 22 | 102 | 617 | 0 | 741 |
| One or More | | 23 | 120 | 743 | 0 | 886 |
| Unknown | | 0 | 0 | 0 | 0 | 0 |
| | Total | 27 | 154 | 2136 | 1 | 2318 |

Table 16
Buncombe County Resident Births for 2000
By Medical History, This Pregnancy and Birth Weight in Grams
For Minority Women

| Medical History, This Pregnancy | | Birth Weight in Grams | | | Total |
|---------------------------------|--------------|-----------------------|-------------|--------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | |
| None | | 0 | 12 | 143 | 155 |
| Anemia | | 0 | 1 | 4 | 5 |
| Diabetes | | 0 | 1 | 2 | 3 |
| Hypertension | | 0 | 7 | 18 | 25 |
| All Others | | 7 | 17 | 84 | 108 |
| One or More | | 7 | 20 | 97 | 124 |
| Unknown | | 0 | 0 | 0 | 0 |
| | Total | 7 | 32 | 240 | 279 |

Table 17
Buncombe County Resident Births for 2000
By Maternal Smoking, This Pregnancy, and Birth Weight in Grams
For All Women

| Maternal Smoking, This Pregnancy | Birth Weight in Grams | | | | Total |
|-------------------------------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| Did Not Smoke | 30 | 138 | 2059 | 1 | 2228 |
| Smoked | 4 | 48 | 317 | 0 | 369 |

Table 17
Buncombe County Resident Births for 2000
By Maternal Smoking, This Pregnancy, and Birth Weight in Grams
For White Women

| Maternal Smoking, This Pregnancy | Birth Weight in Grams | | | | Total |
|-------------------------------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| Did Not Smoke | 23 | 110 | 1855 | 1 | 1989 |
| Smoked | 4 | 44 | 281 | 0 | 329 |
| Total | 27 | 154 | 2136 | 1 | 2318 |

Table 17
Buncombe County Resident Births for 2000
By Maternal Smoking, This Pregnancy, and Birth Weight in Grams
For Minority Women

| Maternal Smoking, This Pregnancy | Birth Weight in Grams | | | Total |
|-------------------------------------|-----------------------|-------------|--------|-------|
| | <1500 | 1500 - 2499 | >=2500 | |
| Did Not Smoke | 7 | 28 | 204 | 239 |
| Smoked | 0 | 4 | 36 | 40 |
| Total | 7 | 32 | 240 | 279 |

Table 18
Buncombe County Resident Births for 2000
By Maternal Weight Gain, This Pregnancy, and Birth Weight in Grams
For All Women

| Maternal Weight Gain, This Pregnancy | Birth Weight in Grams | | | | Total |
|--------------------------------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| 0-9 lbs | 3 | 13 | 86 | 0 | 102 |
| 10-19 lbs | 7 | 31 | 216 | 0 | 254 |
| 20-29 lbs | 11 | 53 | 599 | 0 | 663 |
| 30-39 lbs | 2 | 44 | 739 | 0 | 785 |
| 40 + lbs | 5 | 38 | 673 | 0 | 716 |
| Unknown | 6 | 7 | 63 | 1 | 77 |
| Total | 34 | 186 | 2376 | 1 | 2597 |

Table 18
Buncombe County Resident Births for 2000
By Maternal Weight Gain, This Pregnancy, and Birth Weight in Grams
For White Women

| Maternal Weight Gain, This Pregnancy | Birth Weight in Grams | | | | Total |
|--------------------------------------|-----------------------|-------------|--------|---------|-------|
| | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| 0-9 lbs | 3 | 10 | 70 | 0 | 83 |
| 10-19 lbs | 4 | 24 | 178 | 0 | 206 |
| 20-29 lbs | 9 | 39 | 530 | 0 | 578 |
| 30-39 lbs | 2 | 39 | 691 | 0 | 732 |
| 40 + lbs | 4 | 36 | 619 | 0 | 659 |
| Unknown | 5 | 6 | 48 | 1 | 60 |
| Total | 27 | 154 | 2136 | 1 | 2318 |

Table 18
Buncombe County Resident Births for 2000
By Maternal Weight Gain, This Pregnancy, and Birth Weight in Grams
For Minority Women

| Maternal Weight Gain, This Pregnancy | Birth Weight in Grams | | | Total |
|--------------------------------------|-----------------------|-------------|--------|-------|
| | <1500 | 1500 - 2499 | >=2500 | |
| 0-9 lbs | 0 | 3 | 16 | 19 |
| 10-19 lbs | 3 | 7 | 38 | 48 |
| 20-29 lbs | 2 | 14 | 69 | 85 |
| 30-39 lbs | 0 | 5 | 48 | 53 |
| 40 + lbs | 1 | 2 | 54 | 57 |
| Unknown | 1 | 1 | 15 | 17 |
| Total | 7 | 32 | 240 | 279 |

Table 19
Buncombe County Resident Births for 2000
By Obstetric Procedures and Birth Weight in Grams
For All Women

| Obstetric Procedures | | Birth Weight in Grams | | | | Total |
|-----------------------------|--------------|-----------------------|-------------|--------|---------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None | | 1 | 0 | 20 | 0 | 21 |
| Amniocentesis | | 0 | 4 | 16 | 0 | 20 |
| Electronic Fetal Monitoring | | 27 | 186 | 2319 | 0 | 2532 |
| Induction of Labor | | 3 | 35 | 283 | 1 | 322 |
| Stimulation of Labor | | 0 | 18 | 253 | 0 | 271 |
| Ultrasound | | 33 | 186 | 2317 | 1 | 2537 |
| All others | | 0 | 0 | 13 | 0 | 13 |
| One or more | | 33 | 186 | 2356 | 1 | 2576 |
| Unknown | | 0 | 0 | 0 | 0 | 0 |
| | Total | 34 | 186 | 2376 | 1 | 2597 |

Table 19
Buncombe County Resident Births for 2000
By Obstetric Procedures and Birth Weight in Grams
For White Women

| Obstetric Procedures | | Birth Weight in Grams | | | | Total |
|-----------------------------|--------------|-----------------------|-------------|--------|---------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None | | 1 | 0 | 19 | 0 | 20 |
| Amniocentesis | | 0 | 3 | 16 | 0 | 19 |
| Electronic Fetal Monitoring | | 23 | 154 | 2083 | 0 | 2260 |
| Induction of Labor | | 3 | 30 | 257 | 1 | 291 |
| Stimulation of Labor | | 0 | 16 | 229 | 0 | 245 |
| Ultrasound | | 26 | 154 | 2083 | 1 | 2264 |
| All others | | 0 | 0 | 12 | 0 | 12 |
| One or more | | 26 | 154 | 2117 | 1 | 2298 |
| Unknown | | 0 | 0 | 0 | 0 | 0 |
| | Total | 27 | 154 | 2136 | 1 | 2318 |

Table 19
Buncombe County Resident Births for 2000
By Obstetric Procedures and Birth Weight in Grams
For Minority Women

| Obstetric Procedures | | Birth Weight in Grams | | | Total |
|-----------------------------|--------------|-----------------------|-------------|--------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | |
| None | | 0 | 0 | 1 | 1 |
| Amniocentesis | | 0 | 1 | 0 | 1 |
| Electronic Fetal Monitoring | | 4 | 32 | 236 | 272 |
| Induction of Labor | | 0 | 5 | 26 | 31 |
| Stimulation of Labor | | 0 | 2 | 24 | 26 |
| Ultrasound | | 7 | 32 | 234 | 273 |
| All others | | 0 | 0 | 1 | 1 |
| One or more | | 7 | 32 | 239 | 278 |
| Unknown | | 0 | 0 | 0 | 0 |
| | Total | 7 | 32 | 240 | 279 |

Table 20
Buncombe County Resident Births for 2000
By Events of Labor and or Delivery and Birth Weight in Grams
For All Women

| Events of Labor and or Delivery | | Birth Weight in Grams | | | | Total |
|---------------------------------|--------------|-----------------------|-------------|--------|---------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None | | 11 | 114 | 1585 | 1 | 1711 |
| Meconium | | 0 | 1 | 179 | 0 | 180 |
| Premature Rupture | | 6 | 21 | 56 | 0 | 83 |
| Dysfunctional Labor | | 0 | 6 | 139 | 0 | 145 |
| Breech-malpresent. | | 5 | 14 | 68 | 0 | 87 |
| Fetal Distress | | 2 | 11 | 78 | 0 | 91 |
| All Others | | 11 | 34 | 425 | 0 | 470 |
| One or More | | 23 | 72 | 791 | 0 | 886 |
| Unknown | | 0 | 0 | 0 | 0 | 0 |
| | Total | 34 | 186 | 2376 | 1 | 2597 |

Table 20
Buncombe County Resident Births for 2000
By Events of Labor and or Delivery and Birth Weight in Grams
For White Women

| Events of Labor and or Delivery | | Birth Weight in Grams | | | | Total |
|---------------------------------|--------------|-----------------------|-------------|--------|---------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None | | 7 | 88 | 1421 | 1 | 1517 |
| Meconium | | 0 | 0 | 160 | 0 | 160 |
| Premature Rupture | | 6 | 19 | 48 | 0 | 73 |
| Dysfunctional Labor | | 0 | 5 | 126 | 0 | 131 |
| Breech-malpresent. | | 4 | 11 | 65 | 0 | 80 |
| Fetal Distress | | 1 | 9 | 64 | 0 | 74 |
| All Others | | 10 | 34 | 394 | 0 | 438 |
| One or More | | 20 | 66 | 715 | 0 | 801 |
| Unknown | | 0 | 0 | 0 | 0 | 0 |
| | Total | 27 | 154 | 2136 | 1 | 2318 |

Table 20
Buncombe County Resident Births for 2000
By Events of Labor and or Delivery and Birth Weight in Grams
For Minority Women

| Events of Labor and or Delivery | | Birth Weight in Grams | | | Total |
|---------------------------------|--------------|-----------------------|-------------|--------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | |
| None | | 4 | 26 | 164 | 194 |
| Meconium | | 0 | 1 | 19 | 20 |
| Premature Rupture | | 0 | 2 | 8 | 10 |
| Dysfunctional Labor | | 0 | 1 | 13 | 14 |
| Breech-malpresent. | | 1 | 3 | 3 | 7 |
| Fetal Distress | | 1 | 2 | 14 | 17 |
| All Others | | 1 | 0 | 31 | 32 |
| One or More | | 3 | 6 | 76 | 85 |
| Unknown | | 0 | 0 | 0 | 0 |
| | Total | 7 | 32 | 240 | 279 |

Table 21
Buncombe County Resident Births for 2000
By Method of Delivery and Birth Weight in Grams
For All Women

| Method of Delivery | | Birth Weight in Grams | | | | Total |
|--------------------|--------------|-----------------------|-------------|--------|---------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| Vaginal | | 21 | 128 | 1900 | 1 | 2050 |
| Primary C-section | | 10 | 47 | 311 | 0 | 368 |
| Repeat C-section | | 3 | 11 | 165 | 0 | 179 |
| Forceps | | 0 | 2 | 20 | 0 | 22 |
| Vacuum | | 0 | 4 | 172 | 0 | 176 |
| Unknown | | 0 | 0 | 0 | 0 | 0 |
| | Total | 34 | 186 | 2376 | 1 | 2597 |

Table 21
Buncombe County Resident Births for 2000
By Method of Delivery and Birth Weight in Grams
For White Women

| Method of Delivery | | Birth Weight in Grams | | | | Total |
|--------------------|--------------|-----------------------|-------------|--------|---------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| Vaginal | | 17 | 103 | 1704 | 1 | 1825 |
| Primary C-section | | 9 | 42 | 278 | 0 | 329 |
| Repeat C-section | | 1 | 9 | 154 | 0 | 164 |
| Forceps | | 0 | 2 | 16 | 0 | 18 |
| Vacuum | | 0 | 4 | 150 | 0 | 154 |
| Unknown | | 0 | 0 | 0 | 0 | 0 |
| | Total | 27 | 154 | 2136 | 1 | 2318 |

Table 21
Buncombe County Resident Births for 2000
By Method of Delivery and Birth Weight in Grams
For Minority Women

| Method of Delivery | | Birth Weight in Grams | | | Total |
|--------------------|--------------|-----------------------|-------------|--------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | |
| Vaginal | | 4 | 25 | 196 | 225 |
| Primary C-section | | 1 | 5 | 33 | 39 |
| Repeat C-section | | 2 | 2 | 11 | 15 |
| Forceps | | 0 | 0 | 4 | 4 |
| Vacuum | | 0 | 0 | 22 | 22 |
| Unknown | | 0 | 0 | 0 | 0 |
| | Total | 7 | 32 | 240 | 279 |

Table 22
Buncombe County Resident Births for 2000
By Conditions of Newborn and Birth Weight in Grams
For All Women

| Condition of Newborn | | Birth Weight in Grams | | | | Total |
|----------------------|--------------|-----------------------|-------------|--------|---------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None | | 2 | 115 | 2289 | 0 | 2406 |
| Assisted Ventilation | | 8 | 28 | 29 | 0 | 65 |
| All Others | | 30 | 66 | 77 | 1 | 174 |
| One or More | | 31 | 71 | 87 | 1 | 190 |
| Unknown | | 1 | 0 | 0 | 0 | 1 |
| | Total | 34 | 186 | 2376 | 1 | 2597 |

Table 22
Buncombe County Resident Births for 2000
By Conditions of Newborn and Birth Weight in Grams
For White Women

| Condition of Newborn | | Birth Weight in Grams | | | | Total |
|----------------------|--------------|-----------------------|-------------|--------|---------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | Unknown | |
| None | | 2 | 92 | 2055 | 0 | 2149 |
| Assisted Ventilation | | 7 | 23 | 26 | 0 | 56 |
| All Others | | 25 | 61 | 73 | 1 | 160 |
| One or More | | 25 | 62 | 81 | 1 | 169 |
| Unknown | | 0 | 0 | 0 | 0 | 0 |
| | Total | 27 | 154 | 2136 | 1 | 2318 |

Table 22
Buncombe County Resident Births for 2000
By Conditions of Newborn and Birth Weight in Grams
For Minority Women

| Condition of Newborn | | Birth Weight in Grams | | | Total |
|----------------------|--------------|-----------------------|-------------|--------|-------|
| | | <1500 | 1500 - 2499 | >=2500 | |
| None | | 0 | 23 | 234 | 257 |
| Assisted Ventilation | | 1 | 5 | 3 | 9 |
| All Others | | 5 | 5 | 4 | 14 |
| One or More | | 6 | 9 | 6 | 21 |
| Unknown | | 1 | 0 | 0 | 1 |
| | Total | 7 | 32 | 240 | 279 |